

Introduction

Name: ZL-2804 Touch Screen Click and Scribe Tester



The touch screen click scribing testing machine developed and manufactured by our company is a high-tech product integrating precision machinery and automatic control scribing. This machine is mainly used for the durability test of drawing, clicking and rubbing on the handwriting screen and touch screen of small consumer electronic products such as mobile phones, dialogue phones, and electronic dictionaries. This product has the advantages of strong function, simple programming, convenient operation and low price.

Tel: <u>+86-769-33657987</u> Website: <u>www.zltester.com</u> Fax: +86-769-33657987 E-mail: <u>Zhongli@zltester.com</u>



Features:

1. Motion trajectory and test: convenient function of coordinate finding point, only need to select any three points in the program to generate circle, triangle and other motion trajectories, any two points to draw a line, any four points to draw a rectangle, and according to the test The mobile phone specifications store the movement track for the next call;

2. Using stepper motor with linear guide and ball screw as motion mechanism, accurate positioning, high precision, low noise, precise and durable, etc.

3. Real-time display of current X, Y coordinate values, motor drive speed, real-time position changes, etc.;

4. The machine is made of high-rigidity aluminum with anodized surface, which is rich in texture.

5. The XY axis is driven by a stepping motor, driven by a ball screw, high-speed, low-noise, and durable;

Device Parameters:

X-axis movement range	0~300mm
Y-axis movement range	0~300mm
Click cylinder stroke	0~15mm
Positioning accuracy	0.05mm
Moving speed	30-3000mm/min
Pressure range	0~800gf
Volume	750 x 600 x 450mm
Weight	80kg
Power supply	AC220V

Tel: <u>+86-769-33657987</u> Website: <u>www.zltester.com</u> Fax: +86-769-33657987 E-mail: <u>Zhongli@zltester.com</u>



Machine Certificate:





Fame Certificates Wall

Business license

Tel: <u>+86-769-33657987</u> Website: <u>www.zltester.com</u> Fax: +86-769-33657987 E-mail: <u>Zhongli@zltester.com</u>



Factory environment area



Company outdoor view



Reception

Sales Team and Technicial Team:



Tel: <u>+86-769-33657987</u> Website: <u>www.zltester.com</u> Fax: +86-769-33657987 E-mail: <u>Zhongli@zltester.com</u>



Exhibition:



 Tel:
 +86-769-33657987

 Website:
 www.zltester.com

Fax: +86-769-33657987 E-mail: <u>Zhongli@zltester.com</u>